



Across

- 4. Pressure ulcers are _____ a manifestation of diabetes.
- 6. Some neuro codes provide _____ points when the first secondary.
- 7. The UB-92 is the _____ form
- 9. V58.31 is not used for _____ surgical wounds
- 12. The alphabetical index is also known as The alphabetical index aka _____.

Down

- 1. Secondary does not mean _____
- 2. _____ are not to appear on a home health claim but case mix points are still available
- 3. 491.21 describes _____ COPD
- 5. There are _____ exclusive HHRGs.
- 8. _____ do not contribute to case mix
- 10. M0245 codes don't appear here

14. If there is a complication or _____ condition, a V code is not used for the care.
15. Only _____ diagnoses may be placed in M0190, M0210 and M0245.
17. The code sequenced
18. When coding benign prostatic hyperplasia, the _____, if any, are also coded.
20. The asterisk in the neoplasm table indicates that the term _____ should be referenced.
21. Request for Anticipated Payment
25. There is an assumed relationship between diabetes and _____
26. To get 21 points for _____ wounds M0440 must be marked 'yes'
28. E codes are not assigned a
29. Code may never be coded secondary
30. _____ cannot be assumed caused by diabetes.
32. _____ is always the fifth digit for acute MI in home care.
34. 781.2 is used for gait problems when the patient has had _____ surgery for an orthopedic condition
35. Volume One aka
37. SCIC spelled out
41. If a v code replaces this, M0245 is done
43. Method of determining resource use
45. Final claim and RAP are same except in this condition
46. The third domain of the OASIS data set
50. Code that is never primary or payment dx
51. Claim translates HHRG to ___ code on the final claim
54. When coding a long term chronic condition as primary, the agency should be providing _____ aspects of care.
55. A manifestation of diabetes that is assumed, unless the physician states otherwise
57. Diabetic macular edema requires _____ codes
58. V58.83 is not a good choice for primary because of _____ issues
11. _____ ostomy codes are used when the agency will not be providing care.
13. M0240(b) through (f) [hint not primary, 2 words]
14. E codes are mandatory to describe
16. Some _____ codes provide eleven points.
17. Exception to late effects
19. Data items from this set are used to collect info
22. Codes in italics can never be
23. 996.68 is the code for infected _____ catheter
24. E code are found under "E" in the alphabetical index TRUE OR FALSE
27. V58.62 indicates long term use of _____
31. Diabetes is worth _____ points when primary.
33. Home care coders s.hould avoid 5th digits _____ for diabetes unless the physician states that he patient has type one or juvenile diabetes
34. Diagnoses are included in the _____ domain
36. 719.7 is used for gait issues related to a chronic condition of the "_____ or _____"
38. 958.3 is the code to indicate a burn is _____ and is coded after the burn code.
39. 414.8 is the code for a myocardial infarction with continuing symptoms after _____ weeks
40. M0230 is the _____ diagnosis
41. The coder may assume the connection between hypertension and _____
42. _____ are conventions to indicate manifestations.
44. 436 is the _____ code for acute CVA
45. V58.6x codes are _____ only
47. In manifestation coding, the _____ is coded first.
48. Do not code the symptoms if _____ to the condition

59. V54.13 is the code for _____ for healing traumatic fracture

49. When coding an infected surgical wound, the code for the bacteria is sequenced _____ the surgical wound infection.

52. Code the 338 code first if _____ management is the focus of care

53. Certain co-morbidities must be coded because it is assumed that they will _____ the care.

56. E codes are _____ required when coding a trauma wound.

