

Case-Mix Adjustment and Variable Scores

CLINICAL DIMENSION					
	Episode number within sequence of adjacent episodes	1 or 2	1 or 2	3+	3+
	Therapy Visits	0-13	14+	0-13	14+
	EQUATION	1	2	3	4
1	Primary or Other Diagnosis =Blindness/Low Vision	3	3	3	3
2	Primary or Other Diagnosis= Blood disorders	2	5		
3	Primary or Other Diagnosis = Cancer, selected benign neoplasms	3	8	3	10
4	Primary Diagnosis = Diabetes	5	13	1	8
5	Other Diagnosis = Diabetes	3	5	1	5
6	Primary or Other Diagnosis = Dysphagia <i>AND</i> Primary or Other Diagnosis = Neuro 3 -Stroke	2	6		6
7	Primary or Other Diagnosis = Dysphagia <i>AND</i> M1030 (Therapy at home) = 3 (Enteral)		6		
8	Primary or Other Diagnosis = Gastrointestinal disorders	2	6	1	5
9	Primary or Other Diagnosis = Gastrointestinal disorders <i>AND</i> M1630 (ostomy)= 1 or 2	2			
10	Primary or Other Diagnosis = Gastrointestinal disorders <i>AND</i> Primary or Other Diagnosis = Neuro 1 - Brain disorders and paralysis, OR Neuro 2 - Peripheral neurological disorders, OR Neuro 3 - Stroke, OR Neuro 4- Multiple Sclerosis			2	
11	Primary or Other Diagnosis= Heart Disease OR Hypertension	3	6	1	7
12	Primary Diagnosis= Neuro 1 - Brain disorders and paralysis	3	8	5	8
13	Primary or Other Diagnosis = Neuro 1 - Brain disorders and paralysis <i>AND</i> M1840 (Toilet transfer)= 2 or more	3	10	3	10
14	Primary or Other Diagnosis = Neuro 1 - Brain disorders and paralysis OR Neuro 2 -Peripheral neurological disorders <i>AND</i> M1810 or M1820 (Dressing upper or lower body)=1, 2, or 3	1	4	1	2
15	Primary or Other Diagnosis = Neuro 3 - Stroke		2		
16	Primary or Other Diagnosis= Neuro 3 – Stroke <i>AND</i> M1810 or M1820 (Dressing upper or lower body)=1, 2, or 3	1	3	2	8
17	Primary or Other Diagnosis = Neuro 3 – Stroke <i>AND</i> M1860 (Ambulation) = 4 or more	1	5		
18	Primary or Other Diagnosis= Neuro 4 -Multiple Sclerosis <i>AND AT LEAST ONE OF THE FOLLOWING:</i> M1830 (Bathing)= 2 or more, OR M1840 (Toilet transfer)= 2 or more OR M1850 (Transferring)= 2 or more OR M1860 (Ambulation) = 4 or more	3	3	12	18
19	Primary or Other Diagnosis = Ortho 1 – Leg Disorders or Gait Disorders <i>AND</i> M1324 (most problematic pressure ulcer stage)= 1, 2, 3 or 4	2			
20	Primary or Other Diagnosis= Ortho 1 -Leg OR Ortho 2 – Other orthopedic disorders <i>AND</i> M1030 (Therapy at home)= 1 (IM/Infusion) or 2 (Parenteral)	5	5		
21	Primary or Other Diagnosis = Psych 1 -Affective and other psychoses, depression	4	6	2	6
22	Primary or Other Diagnosis = Psych 2 - Degenerative and other organic psychiatric disorders	1	3		3
23	Primary or Other Diagnosis = Pulmonary disorders	1	5	1	5
24	Primary or Other Diagnosis = Pulmonary disorders <i>AND</i> M1860 (Ambulation) = 1 or more	1			
25	Primary Diagnosis = Skin 1 -Traumatic wounds, burns, and post-operative complications	10	20	8	20

Case-Mix Adjustment and Variable Scores

26	Other Diagnosis = Skin 1 - Traumatic wounds, burns, post-operative complications	6	6	4	4
27	Primary or Other Diagnosis = Skin 1 - Traumatic wounds, burns, and post-operative complications OR Skin 2 - Ulcers and other skin conditions <i>AND</i> M1030 (Therapy at home) = 1 (IV/Infusion) or 2 (Parenteral)	2		2	
28	Primary or Other Diagnosis = Skin 2 - Ulcers and other skin conditions	6	12	5	12
29	Primary or Other Diagnosis = Tracheostomy	4	4	4	
30	Primary or Other Diagnosis = Urostomy/Cystostomy	6	22	4	22
31	M1030 (Therapy at home) = 1 (IV/Infusion) or 2 (Parenteral)	8	15	5	11
32	M1030 (Therapy at home) = 3 (Enteral)	4	11		11
33	M1200 (Vision)= 1 or more	1			2
34	M1242 (Pain)= 3 or 4	1			
35	M1308 = Two or more pressure ulcers at stage 3 or 4	3	3	5	5
36	M1324 (Most problematic pressure ulcer stage)= 1 or 2	5	11	5	11
37	M1324 (Most problematic pressure ulcer stage)= 3 or 4	16	26	12	22
38	M1334 (Stasis ulcer status)= 2	7	7	7	7
39	M1334 (Stasis ulcer status)= 3	11	11	11	11
40	M1342 (Surgical wound status)= 2		2	3	
41	M1342 (Surgical wound status)= 3	4	4	4	4
42	M1400 (Dyspnea)= 2, 3, or 4	2	2		
43	M1620 (Bowel Incontinence)= 2 to 5	1	2	1	
44	M1630 (Ostomy)= 1 or 2	5	9	3	9
45	M2030 (Injectable Drug Use)= 0, 1, 2, or 3	0	1	2	3
FUNCTIONAL DIMENSION					
46	M1810 or M1820 (Dressing upper or lower body)=1, 2, or 3		2	4	2
47	M1830 (Bathing)= 2 or more		3	3	6
48	M1840 (Toilet transferring)= 2 or more		2	3	2
49	M1850 (Transferring)= 2 or more			1	
50	M1860 (Ambulation) = 1, 2 or 3		1		1
51	M1860 (Ambulation) = 4 or more		3	3	4

Clinical Severity Level (by points)					
Grouping Step	1	2	3	4	5
C1 (Low)	0 to 4	0 to 6	0 to 2	0 to 8	0 to 7
C2 (Moderate)	5 to 8	7 to 14	3 to 5	9 to 16	8 to 14
C3 (High)	9+	15+	6+	17+	15+
Functional Severity Level (by points)					
Grouping Step	1	2	3	4	5
F1 (Low)	0 to 5	0 to 6	0 to 8	0 to 7	0 to 6
F2 (Moderate)	6	7	9	8	7
F3 (High)	7+	8+	10+	9+	8+
Services Utilization Level (Therapy Visits)					
Grouping Step	1	2	3	4	5
S1	0 to 5	14 to 15	0 to 5	14 to 15	20+
S2	6	16 to 17	6	16 to 17	N/A
S3	7 to 9	18 to 19	7 to 9	18 to 19	N/A
S4	10	N/A	10	N/A	N/A
S5	11 to 13	N/A	11 to 13	N/A	N/A