

Table 4: Clinical and Functional Scores (formerly Table 2a)

Updated by CMS for OASIS C effective January 1, 2010

CLINICAL DIMENSION

	Episode Number from M0110	E=Early (Episodes 1 or 2)	L=Later (Episodes ≥3)	E	E	L	L
	Number Therapy visits from M2200			0-13	14+	0-13	14+
ROW	VARIABLE DESCRIPTION			POINTS by SCORING EQUATION:			
	(All diagnoses points come from those diagnoses being placed in M1020/1022/1024)			1	2	3	4
1	Primary or Other Diagnosis = Blindness/Low Vision			3	3	3	3
2	Primary or Other Diagnosis = Blood disorders			2	5	0	0
3	Primary or Other Diagnosis = Cancer, selected benign neoplasms			4	7	3	10
4	Primary Diagnosis = Diabetes			5	12	1	8
5	Other Diagnosis = Diabetes			2	4	1	4
6	Primary or Other Diagnosis = Dysphagia AND Primary or Other Diagnosis = Neuro 3 – Stroke			2	6	0	6
7	Primary or Other Diagnosis = Dysphagia AND M1030 (Therapy at home) = 3 (Enteral)			0	6	0	0
8	Primary or Other Diagnosis = Gastrointestinal disorders			2	6	1	4
9	Primary or Other Diagnosis = Gastrointestinal disorders AND M1630 (ostomy)= 1 or 2			3	0	0	0
10	Primary or Other Diagnosis = Gastrointestinal disorders AND Primary or Other Diagnosis = Neuro 1 – Brain disorders and paralysis, OR Neuro 2 – Peripheral neurological disorders, OR Neuro 3 – Stroke, OR Neuro 4 – Multiple Sclerosis			0	0	2	0
11	Primary or Other Diagnosis = Heart Disease OR Hypertension			3	7	1	8
12	Primary Diagnosis = Neuro 1 – Brain disorders and paralysis			3	8	5	8
13	Primary or Other Diagnosis = Neuro 1 – Brain disorders and paralysis AND M1840 (Toileting) = 2 or more			3	10	3	10
14	Primary or Other Diagnosis = Neuro 1 – Brain disorders and paralysis OR Neuro 2 – Peripheral neurological disorders AND M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3			2	4	2	2
15	Primary or Other Diagnosis = Neuro 3 – Stroke			0	1	0	0
16	Primary or Other Diagnosis = Neuro 3 – Stroke AND M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3			1	3	2	8
17	Primary or Other Diagnosis = Neuro 3 – Stroke AND M1860 (Ambulation) = 4 or more			1	5	0	0
18	Primary or Other Diagnosis = Neuro 4 – Multiple Sclerosis AND AT LEAST ONE OF THE FOLLOWING: M1830 (bathing) = 2 or more OR M1840 (Toileting) = 2 or more OR M1850 (Transferring) = 2 or more OR M1860 (Ambulation) = 4 or more			3	3	12	18
19	Primary or Other Diagnosis = Ortho 1 – Leg Disorders or Gait Disorders AND M1324 (most problematic pressure ulcer stage)= 1, 2, 3 or 4			2	0	0	0
20	Primary or Other Diagnosis = Ortho 1 – Leg OR Ortho 2 – Other orthopedic disorders AND M1030 (Therapy at home) = 1 (IV/Infusion) or 2 (Parenteral)			5	5	0	0
21	Primary or Other Diagnosis = Psych 1 – Affective and other psychoses, depression			3	5	2	5
22	Primary or Other Diagnosis = Psych 2 – Degenerative and other organic psychiatric disorders			1	2	0	2
23	Primary or Other Diagnosis = Pulmonary disorders			1	5	1	5
24	Primary or Other Diagnosis = Pulmonary disorders AND M1860 (Ambulation) = 1 or more			1	0	0	0
25	Primary Diagnosis = Skin 1 –Traumatic wounds, burns, and post-operative complications			10	20	8	20
26	Other Diagnosis = Skin 1 – Traumatic wounds, burns, post-operative complications			6	6	4	4
27	Primary or Other Diagnosis = Skin 1 –Traumatic wounds, burns, and post-operative complications OR Skin 2 – Ulcers and other skin conditions AND M1030 (Therapy at home) = 1 (IV/Infusion) or 2 (Parenteral)			2	0	2	0
28	Primary or Other Diagnosis = Skin 2 – Ulcers and other skin conditions			6	12	5	12
29	Primary or Other Diagnosis = Tracheostomy			4	4	4	0
30	Primary or Other Diagnosis = Urostomy/Cystostomy			6	23	4	23
31	M1030 (Therapy at home) = 1 (IV/Infusion) or 2 (Parenteral)			8	15	5	12
32	M1030 (Therapy at home) = 3 (Enteral)			4	12	0	12

	Episode Number from M0110 E=Early (Episodes 1 or 2) L=Later (Episodes ≥3)	E	E	L	L
	Number Therapy visits from M2200	0-13	14+	0-13	14+
33	M1200 (Vision) =1 or more	1	0	0	1
34	M1242 (Pain) = 3 or 4	1	0	0	0
35	M1308 (Number Pressure Ulcers) = Two or more pressure ulcers at stage 3 or 4	3	3	5	5
36	M1324 (Most problematic pressure ulcer stage) = 1 or 2	5	11	5	11
37	M1324 (Most problematic pressure ulcer stage) = 3 or 4	16	26	12	23
38	M1334 (Stasis ulcer status) = 2	8	8	8	8
39	M1334 (Stasis ulcer status) = 3	11	11	11	11
40	M1342 (Surgical wound status) = 2	0	2	3	0
41	M1342 (Surgical wound status) = 3	4	4	4	4
42	M1400 (Dyspnea) = 2, 3, or 4	2	2	0	0
43	M1620 (Bowel Incontinence) = 2 to 5	1	2	1	0
44	M1630 (Ostomy) = 1 or 2	5	9	3	9
45	M2030 (Injectable Drug Use) = 0, 1, 2 or 3	1	1	2	4

FUNCTIONAL DIMENSION

ROW	VARIABLE DESCRIPTION	POINTS by SCORING EQUATION:			
		1	2	3	4
46	M1810 or M1820 (Dressing upper or lower body) = 1, 2, or 3	2	4	2	2
47	M1830 (Bathing) = 2 or more	3	3	6	6
48	M1840 (Toileting) = 2 or more	2	3	2	0
49	M1850 (Transferring) = 2 or more	0	2	0	0
50	M1860 (Ambulation) = 1,2 or 3	1	0	1	0
51	M1860 (Ambulation) = 4 or more	3	4	4	5

Clinical Severity Level (By points)

Grouping Step:	1	2	3	4	5
C1 (Low)	0 to 4	0 to 6	0 to 2	0 to 8	0 to 7
C2 (Moderate)	5 to 8	7 to 14	3 to 5	9 to 16	8 to 14
C3 (High)	9+	15+	6+	17+	15+

Functional Severity Level (By points)

Grouping Step:	1	2	3	4	5
F1 (Low)	0 to 5	0 to 6	0 to 8	0 to 7	0 to 6
F2 (Moderate)	6	7	9	8	7
F3 (High)	7+	8+	10+	9+	8+

Services Utilization Level (Therapy Visits)

Grouping Step:	1	2	3	4	5
S1	0 to 5	14 to 15	0 to 5	14 to 15	20+
S2	6	16 to 17	6	16 to 17	N/A
S3	7 to 9	18 to 19	7 to 9	18 to 19	N/A
S4	10	N/A	10	N/A	N/A
S5	11 to 13	N/A	11 to 13	N/A	N/A